INFORMATION DISCLOSURE CITATION

| Atty. Docket No. | 06478.1496 | Appln. No. | Not Assigned | 10/721,997 |
|------------------|--------------------------|------------|---------------|------------|
| Applicant | Hans-Peter HAUSER et al. | _ | - | , |
| Filing Date | Herewith | Group: | Not Assigned | -1632 |

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|---|------------------------|------------------------------|-----------------|-------|--------------|----------------------------|
| Examiner Initial* | | Document Number | Issue Date | Name | Class | Sub Class | Filing Date If Appropriate |
| 17 | Α | 5,112,950 | 5/12/92 | Meulien et al. | 530 | 383 | |
| PI | В | 5,663,060 | 9/02/97 | Lollar et al. | 435 | 69.6 | |
| 73 | С | App. No. 09/150,811 | Publication Date: 5/30/02 | Connelly et al. | 435 | 69.1 | |
| | | | | | | | |

| FOREIGN PATENT DOCUMENTS | | | | | | | |
|--------------------------|---|--------------------|---------------------|---------|-------|--------------|-----------------------------|
| | | Document Number | Publication Date | Country | Class | Sub Class | Translation Yes or No |
| PP | D | 0 197 901 | 10/15/86 | Europe | | | |
| R | Ε | WO 87/04187 | 7/16/87 | WIPO . | | | |
| B | F | WO 88/00831 | 2/11/88 | WIPO | | | |
| 19 | G | 0 295 597 | 12/21/88 | Europe | · | | No; See Derwent Abstract |
| 19 | Н | 0 303 540 B1 | 2/15/89 | Europe | | | No; See Ref. A |
| B | 1 | WO 95/18827 | 7/13/95 | WIPO | | | |
| PP | J | WO 00/71714 | 11/30/00 | WIPO | | | |

| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | |
|--|--|--|--|--|--|
| FI | Andersson et al., "Isolation and Characterization of Human Factor VIII: Molecular Forms in Commercial Factor VIII Concentrate, Cryoprecipitate, and Plasma," <i>Proc. Natl. Acad. Sci. USA</i> , 83: 2979-2983 (1986). | | | | |
| 17 | Brinkhous et al., "Purified Human Factor VIII Procoagulant Protein: Comparative Hemostatic Response After Infusions into Hemophilic and von Willebrand Disease Dogs," <i>Proc. Natl. Acad. Sci. USA</i> , 82:8752-8756 (1985). | | | | |
| 19 | Eaton et al., "Construction and Characterization of an Active Factor VIII Variant Lacking the Central One-Third of the Molecule," <i>Biochemistry</i> , 25:8343-8347 (1986). | | | | |
| 137 | Fay et al., "Characterization of the Interaction Between the A2 Subunit and A1/A3-C1-C2 Dimer in Human Factor VIII _a ," J. Biol. Chem., 267:13246-13250 (1992). | | | | |
| B | Fay et al., "Human Factor VIIIa Subunit Structure: Reconstitution of Factor VIIIa From The Isolated A1/A3-C1-C2 Dimer and A2 Subunit," <i>J. Biol. Chem.</i> , 266:8957-8962 (1991). | | | | |

INFORMATION DISCLOSURE CITATION

| Atty. Docket No. | 06478.1496 | Appln. No. | Not Assigned |
|------------------|--------------------------|---------------------------------------|--------------|
| Applicant | Hans-Peter HAUSER et al. | · · · · · · · · · · · · · · · · · · · | |
| Filing Date | Herewith | Group: | Not Assigned |

| | OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) |
|----|--|
| PP | Langner et al., "Synthesis of Biologically Active Deletion Mutants of Human Factor VIII:C," Behring Inst. Mitt., 82:16-25 (1988). |
| B | Lollar et al., "Coagulant Properties of Hybrid Human/Porcine Factor VIII Molecules," J. Biol. Chem., 267:23652-23657 (1992). |
| 19 | Meulien et al., "A New Recombinant Procoagulant Protein Derived from the cDNA Encoding Human Factor VIII," <i>Protein Engineering</i> , 2:301-306 (1988). |
| R | Persson et al., "Kinetics of the Interaction Between the Human Factor VIIIa Subunits: Effects of pH, Ionic Strength, Ca ²⁺ Concentration, Heparin, and Activated Protein C-Catalyzed Proteolysis," <i>Biochemistry</i> , 34:12775-12781 (1995). |
| R | Pipe et al., "Characterization of a Genetically Engineered Inactivation-Resistant Coagulation Factor VIIIa," <i>Proc. Natl. Acad. Sci. USA</i> , 94:11851-11856 (1997). |
| B | Plantier et al., "A Factor VIII Minigene Comprising the Truncated Intron I of Factor IX Highly Improves the <i>In Vitro</i> Production of Factor VIII," <i>Thromb. Haemost.</i> , 86:596-603 (2001). |
| 17 | Saenko et al., "Molecular Defects in Coagulation Factor VIII and Their Impact on Factor VIII Function," Vox Sanguinis, 83:89-96 (2002). |
| R | Sarver et al., "Stable Expression of Recombinant Factor VIII Molecules Using a Bovine Papillomavirus Vector," <i>DNA</i> , 6:553-564 (1987). |
| R | Toole et al., "A Large Region (≈95 kDa) of Human Factor VIII is Dispensable for <i>In Vitro</i> Procoagulant Activity," <i>Proc. Natl., Acad. Sci. USA,</i> 83:5939-5942 (1986). |
| R | Vehar et al., "Structure of Human Factor VIII," Nature, 312:337-342 (1984). |
| R | Wood et al., "Expression of Active Human Factor VIII From Recombinant DNA Clones," <i>Nature</i> , 312:330-337 (1984). |
| · | Derwent Abstract for EP 0 295 597 (Ref. G). |

| Examiner | Lete laws | Date Considered 3/19/16 |
|-------------|------------------------------|--|
| *Examiner: | Initial if reference conside | red, whether or not citation is in conformance with MPEP 609; draw line onformance and not considered. Include copy of this form with next |
| Form PTO 14 | 49 | Patent and Trademark Office - U.S. Department of Commerce |
| 620020 1 | | |